


# **CIRRUS HD-OCT 5000**

Advancing Smart OCT



# **NEW PanoMap Analysis**

Wide-field structural damage assessment for glaucoma



NEW PanoMap™ wide field analysis displays structural data for the entire posterior pole —

RNFL, ONH, and GCA metrics show the extent of structural damage

#### At-a-glance insight —

A single analysis for integrated insights into early pathologies

#### Backward-compatible —

PanoMap uses existing Macular Cube and Optic Disc Cube scans to provide a wide-field view of the posterior pole without altering scan protocols

PanoMap Report with Combined GCA and RNFL Deviation Map

As the world's leading OCT innovator, ZEISS has been at the forefront of industry-defining advancements that have made OCT a standard of care. Today that leadership continues with new scans and clinical assessment tools for the ZEISS CIRRUS™ HD-OCT 5000.


# **NEW Anterior Segment Premier Module from ZEISS**

The first retinal OCT with full anterior chamber imaging



**ChamberView image\*** — ChamberView provides an expansive 15.5 mm wide view of the entire anterior chamber to help identify patients at risk for angle closure glaucoma

\*Patent pending



HD Angle scan of narrow angle with pterygium

**HD Angle** — High-resolution 6 mm angle image shows the key anatomical landmarks including scleral spur spur to aid in evaluation of the anterior chamber angle configuration.



Wide Angle-to-Angle scan — Dual-angle assessment with a 15.5 mm limbus to limbus view of iris configuration



**HD Cornea Scan** — 9 mm high-resolution scan details of corneal anatomy for assessing corneal health and


### External lenses combine with software to offer superior anterior segment imaging:

- Two interchangeable lenses expand CIRRUS HD-OCT with corneal, anterior chamber, and wide angle to angle imaging
- Magnetic lens attachment makes switching to external lenses easy and fast
- Ergonomic lens design enables a comfortable 22-38 mm working distance from the patient's eye

## **NEW Smart HD Scan Patterns**

# Targeted visualizations of critical anatomy


Automatic centering of scans ensures you see the fovea in each patient.




**Details matter** — Add flexible HD scans to your macular scanning protocol for an efficient visual assessment of macular status

Get it right the first time — Improves clinic flow by helping to eliminate rescans due to missed fovea









#### New Smart HD 1 Line scan —

Captures and averages 100 b-scan images with automatic centering at the fovea or region of interest. The result is a brilliant image that simultaneously highlights detail in the vitreous, retina, and choroid.




# **NEW Layer by Layer En Face Views**Reveal what lies beneath the surface


#### **En Face VRI View**



VRI en face preset display: Epiretinal membrane (ERM) example where the dark areas indicate membrane detachment

### **En Face Mid-Retina View**






Mid-Retina en face preset display: Cystoid macular edema (CME) example with the hallmark flower petal pattern


#### En Face IS/OS-Ellipsoid View






IS/OS-Ellipsoid en face preset **display:** Hydroxychloroquine toxicity example with the classic bull's eye maculopathy

#### **En Face Choroid View**





Choroid en face preset display: Geographic Atrophy (GA) example where the bright regions highlight the RPE loss

# **Technical Data**

# CIRRUS™ HD-OCT 5000

#### New Software Version 7.5\* includes:

En Face Analysis

PanoMap\*\*

#### **Optional licensed features:**

#### **Smart HD Scans**

HD 1 Line 100x	1 Line (100x averaged)
HD 21 Line	21 Lines (4 or 8x averaged)
HD Radial	12 Lines (8x averaged)
HD Cross	10 Lines - 5 horizontal, 5 vertical (8x averaged)

#### Anterior Segment Premier Module with External Lens Kit

ChamberView™	15.5 mm x 5.8 mm
Wide Angle to Angle	15.5 mm x 2.9 mm
HD Cornea	9 mm x 2 mm
HD Angle	6 mm x 2.9 mm

#### **CIRRUS 5000 Hardware/Computer Updates**

Operating system/processor	Windows® 7, i7 processor (4th generation)
Memory	16 GB
Hard drive/internal storage	2 TB

#### **CIRRUS Review Software supported Operating Systems**

Windows 8.1

Windows 7

Windows Server 2008 R2

Carl Zeiss Meditec, Inc. 5160 Hacienda Drive

Dublin, CA 94568 USA www.meditec.zeiss.com/cirrus EC REP

Carl Zeiss Meditec AG

Goeschwitzer Str. 51-52 07745 Jena Germany www.meditec.zeiss.com/cirrus CIRRUS, ChamberView PanoMap, SmartCube are either trademarks or registered trademarks of ZEISS in the USA and/or other countries © 204 Carl Zeiss Meditec, inc. All rights reserved. The contents of this brochure may differ from the current status of approval of the

<sup>\*</sup>Version 7.5 is compatible with CIRRUS Models HD-OCT 5000 and 500 only. Model 500 available with all listed features except Smart HD Scans.

\*\* Requires Ganglion Cell Analysis license