

SLIT LAMP BX 900 Professional imaging



THE PHOTOGRAPHER'S SLIT LAMP

BX 900

Superior technology – reliable instrument

The Haag-Streit BX 900 slit lamp combines the latest imaging technology with the proven versatility, optical brilliance and mechanical quality of the Haag-Streit tradition. The BX 900 is the leading slit lamp imaging device and is designed to assist the Ophthalmic Photographer in his demanding profession.

Ophthalmic imaging of the highest possible quality is ensured with an integrated flash, fully synchronised with camera and slit and background illumination, all controlled through a release mechanism directly beside the slit lamp joystick, as well as adaptors for a variety of top-of-the-range digital single lens reflex cameras.

The camera is mounted above the microscope, thus allowing ease of access to the patient. This is especially useful when photographing in conjunction with hand-held diagnostic lenses.





Xenon flash

The high power flash illumination is delivered via a xenon tube that lies coaxially to the LED illumination and thus exactly reproduces the slit illumination pattern to provide images of stunning quality. The brightness of the flash is individually adjustable for slit and background illumination.



The heart of the BX 900 is the mirror housing with its built-in diaphragms. When capturing an image, all light is directed via a mirror to the camera. This allows the maximum utilisation of the available light: 100% for the examination and 100% for the image. The built-in diaphragm setting with five apertures is applied automatically on image capture.

Shutter release

Conveniently mounted close to the operator's hand, this can easily be utilised whilst continuously maintaining focus with the slit lamp joystick. As it is symmetric on the cross slide, it allows right and left-handed operation.








Technical specifications **Slit lamp BX 900 LED**

Illumination	Light-source	LED for examination (slit and background illumination)
		Flash for photography
	Slit width	0–8 mm continuous
	Slit length	1–8 mm continuous and fix apertures
	Filters	Blue, red-free (green), grey (10%) and optional yellow
Microscope	Ocular magnification	12.5×
	Magnification changer	6.3× 10× 16× 25× 40×
	Stereo angle	13° (convergent optics)
Instrument base	Operation	Single handed 3-dimensional operation of the guide lever
	Adjustment of the instrument base	100m (length), 100 mm (side), 30 mm (height)
Software	EyeSuite Imaging	Patient Manager, Capture Module, Image Viewer
	EMR Interfaces	EyeSuite Script Language, DICOM (SCU), GDT



Members of HAAG-STREIT Group

HAAG-STREIT Holding AG www.haag-streit-holding.com

HAAG-STREIT Deutschland GmbH

www.haag-streit.de

HAAG-STREIT AG www.haag-streit.com IPRO GmbH www.ipro.com

SPECTROS AG www.spectros.ch

CLEMENT CLARKE Ltd. www.clement-clarke.com

HAAG-STREIT Medtech AG www.haag-streit-medtech.com

HAAG-STREIT UK www.haag-streit-uk.com

HAAG-STREIT France EURL www.haag-streit.fr

John Weiss Ltd. www.johnweiss.com

HAAG-STREIT Far East www.haag-streit-fareast.com HAAG-STREIT USA

HAAG-STREIT Surgical GmbH

www.haag-streit-usa.com

www.haag-streit-surgical.com

Reliance Medical Inc. www.haag-streit-usa.com

Möller-Wedel GmbH & Co KG www.moeller-wedel.com

Asetronics AG www.asetronics.ch

Möller-Wedel Optical GmbH www.moeller-wedel-optical.com

ComLab AG www.comlab.ch

HAAG-STREIT AG

Gartenstadtstrasse 10 3098 Koeniz Switzerland Phone +41 31 978 01 11 Fax +41 31 978 02 82 info@haag-streit.com www.haag-streit.com

